

TOSHIBA

e-STUDIO™ 2010AC

e-STUDIO™ 2510AC

- › Colour Multifunction Printer
- › Up to 25 PPM
- › Small Workgroup
- › Copy, Print, Scan, Fax
- › Secure MFP
- › Solutions Ready



**TOGETHER
INFORMATION**

CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > 20 & 25 PPM
- > Affordable, high-resolution colour
- > High-volume black & white and colour
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.

Colour commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Add colour to that and you have even more ways to make your documents impactful.

- > Up to 600 dpi x 1,200 dpi (PS3)
- > 256 gradations provide ultra-smooth transitions in photos and illustrations
- > Auto-calibration ensures consistency of colour across small and large print jobs

Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- > Customise and automate workflow specifically around your business processes
- > Boost productivity by reducing manual and paper intensive processes in the office
- > Personalise the user interface by department or individually to deliver the utmost efficiency
- > Cost savings and greater efficiency through improved workflow and productivity

Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too



CONVENIENCE AND SECURITY.

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO2510AC Series MFP. e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.*

Toshiba's new e-BRIDGE Plus apps, including e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online let users scan to and print from Microsoft's cloud-based services directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word™, Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into popular Office™ formats as well.*

*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

Industry-Leading Security

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > Available FIPS 140-2 Validated SED meets and exceeds strict government requirements
- > IPsec is available to securely encrypt data sent to and from the MFP

FEATURES AND BENEFITS.

We work out of the box to find innovative ways to make your business run more efficiently. In fact, we've found quite a few.

Touch and Swipe with Ease

An easy to use, tablet style 10.1" colour touch screen panel works intuitively, helping you find instructions, functions, and commands with the swipe of the finger.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

A Clever Inside Pocket

We've put the Authentication Card Reader inside the machine for a cleaner look.

Envelopes—the Perfect Fit

A special envelope cassette is available to hold up to 60 envelopes, making sure each one is fed and printed in the same place, every time.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, up to 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.



Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/LED Printing/ Heat Roller Fusing
Display	10.1" Colour WSVGA Touch Screen Tilting Display
Copy Speed	20/25 PPM (A4)
First Copy Out	Colour: 9.5/9.5 seconds Monochrome: 7.1/7.1 seconds
Warm-Up Time	Approx. 21 Seconds
Copy Resolution	600 x 600 dpi
Stack Feed Bypass	100 x 148 mm to A3, Envelope
Multiple Copying	Up to 999 Copies
Paper Capacity	Standard 350 Sheets/Max. 2,900 Sheets
Original Feed	Optional 100-Sheet RADF
Scan Speed & Weights	RADF Scan: Up to 73 IPM (Monochrome or Colour), Simplex: 35-157 gsm, Duplex: 50-157 gsm
Max. Original Size	A3
Paper Feed Sizes	Drawer 1: 250 Sheets-A5-R to A3 Stack Feed Bypass: 100 Sheets- 100 x 148 mm to A3 Opt. Paper Feed Unit: 550 Sheets-A5-R to A3 Opt. 550-Sheet Paper Feed Pedestal-A5-R to A3 Opt. 550-Sheet Drawer for PFP-A5-R to A3 Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-16K-R to A4-R Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-A4 Only Standard: 250 Sheets- 60-163 gsm Stack Feed Bypass: 100 Sheets-60 -209 gsm Opt. Paper Feed Unit: 550 Sheets- 60-163 gsm Opt. 550-Sheet Paper Feed Pedestal: 60-163 gsm Opt. 550-Sheet Drawer for PFP: 60-163 gsm Opt. Envelope Cassette for PFP: 60- 163 gsm Opt. 2,000-Sheet Tandem LCF (Pedestal Type): 64-105 gsm Standard Automatic Duplex Unit: 60-163 gsm
Paper Weights	25% to 400% Approx. 57 kg 575 mm (W) x 586 mm(D) x 662 mm (H) CMY: 33.6K, BK: 38.4K @ 5% 220-240 Volts, 50/60 Hz, 12 Amps Maximum 2.0kW (220-240V) Intel Atom™ 1.33GHz (Dual-Core) 2GB, Max. 4GB 320GB Toshiba Secure HDD
Duplex	
Reproduction Ratio	
Weight	
Approx. Dimensions	
CMYK Toner Yield	
Power Source	
Power Consumption	
CPU	
Memory	
Hard Disk Drive	

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	20/25 Pages Per Minute (A4)
Print Resolution	600 x 600 dpi (5 bit), 600 x 1,200 dpi (1 bit) PS3 Only
Operating Systems	Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8.1,10, Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (MacOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh® Environments
Printing Protocols	SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP
Print Drivers	Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server® 2016, Windows® 10 (32-bit, 64-bit), MacOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed)
Interface	
Wireless Device	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Device Management	TopAccess, EFMS 6.30 (e-BRIDGE Fleet Management Software)
Account Control	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts
Security Features	User Authentication, On-Board Data Scramble Function, SCEP, Disable



e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)*, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check Function, Image Log, Card Authentication *Conformance with HCD-PPv1.0 in High security mode.
ENERGY STAR® (V2.0), EPEAT Gold
WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

Environmental Stds. Certification

Scan Specifications

Scan Speed	RADF Scan: Up to 73 IPM (Monochrome or Colour)
Scan Modes	Standard: Full Colour, Auto Colour, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
Image Compression	Colour/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations /Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Platen & Document Feeder Options		Unicode Font Enabler	GS-1007
RADF	MR-3031-B	Embedded OCR Enabler	
Platen Cover	KA-5005PC	Single License	GS-1080
		Five Licenses	GS-1085
Additional Paper Options		Multi-Station Print Enabler	
Paper Feed Pedestal	KD-1058-B	Single License	GS-1090
Paper Feed Unit	MY-1047-B	Five Licenses	GS-1095
Drawer Module	MY-1048-B	USB Hub Option	GR-1310
Envelope Cassette Option	MY-1049-B	External Interface Enabler	
Large Capacity Feeder	KD-1059A4-B	Data OverWrite Enabler	GP-1070
		Monotype Font Option	GB-2050
Finishing Options		Miscellaneous Options	
Inner Finisher	MJ-1042-B	Accessible Arm	KK-2560
Saddle-Stitch Finisher	MJ-1110-B	Work Tray	KK-5005
Hole Punch Unit (For MJ1042)	MJ-6011	Manual Pocket	KK-5008
Hole Punch Unit (For MJ1110)	MJ-6105	Harness Kit for Coin Controller	GQ-1280
Bridge Kit	KN-5005		
Job Separator	MJ-5014		
Connectivity/Security Options			
FAX Unit/2nd Line for FAX Unit	GD-1370		
Accessory Tray	GR-1330		
Panel 10-Key Option	GR-1340		
Card Reader Holder	GR-1320		
4GB Memory Option	GC-1410		
FIPS HDD	GE-1230		
Hardcopy Security Printing	GP-1190A		
Meta Scan Enabler	GS-1010		
IPsec Enabler	GP-1080		

For more information, please call or visit us at

TOSHIBA

Toshiba Tec Malaysia Sdn. Bhd.

Registration No.: 198101000677 (66785-D)

4, Jalan Saudagar U1/16, Seksyen U1, Hicom Glenmarie Industrial Park, 40150, Shah Alam, Selangor Darul Ehsan, Malaysia.

(P.O. Box 7722, Pejabat Pos Besar, 40724 Shah Alam, Selangor Darul Ehsan, Malaysia.)

Tel : +603-5568 7788 Service : +603-5568 7699 Fax : +603-5568 7700

Website : www.toshibatec.com.my

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned.

Copyright ©2018 Toshiba Tec.

R180511V1300-TTEC