

TOSHIBA

e-STUDIO™ 5518A

e-STUDIO™ 6518A

e-STUDIO™ 7518A

e-STUDIO™ 8518A

- > Black & White Multifunction Printer
- > Up to 85 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



TOGETHER
INFORMATION

CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximize your productivity.

Our latest series delivers on the Toshiba promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 55, 65, 75 and 85 PPM black & white
- > Outstanding image quality and high volume output
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.

Environmental Protection

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > ENERGY STAR V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too

Faster, sleeker, and more volume than ever.

Toshiba introduces a new, sleek lineup that's as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technologies, like crisp, clean monochrome output at a speed of up to 85 pages per minute and an impressive 6,020-sheet maximum paper capacity.

- > 1,200 dpi x 1,200 dpi, 2bit 3,600 dpi (Equivalence) x 1,200 dpi
- > High-speed, high-capacity Dual-Scan Document Feeder
- > Up to 720K maximum monthly copy volume

Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- > Customise and automate workflows specifically around your business processes
- > Boost productivity by reducing manual processes in the office
- > Personalise the user interface by department or individual user to deliver the utmost efficiency
- > Cost savings and greater efficiency through improved workflow and productivity



HOW TOSHIBA IS RAISING THE STANDARD.

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO Series MFP. e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.*

Embedded Applications for Office365®** lets users scan to and print from their Office365® directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word™, Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into these popular Office™ formats as well.*

*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

**Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

Advanced Security

Even more important than functionality is the security offered by the e-STUDIO8518A Series. Such technological advancements include:

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > IPsec is available to securely encrypt data sent to and from the MFP

FEATURES AND BENEFITS.

The Toshiba e-STUDIO8518A Series tops all previous machines and helps large workgroups improve productivity and connectivity while simplifying the overall workflow.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

e-Suite

Toshiba e-Suite provides a user friendly embedded user interface for secure print release, copy, scan, fax and card registration to all individual users. The users are able to monitor their balance of black/white and colour prints for better cost management.

Its powerful device management feature provides office administrators with detailed status monitoring and intelligent alerts that improve office MFPs uptime and device availability. Custom reports per device or function are generated automatically to keep an eye on usage and to control the costs.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions and third-party applications.



e-STUDIO™ 5518A/6518A/7518A/8518A

Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/Laser Printing/ Heat Roller Fusing
Display	10.1" Colour WSVGA Touch Screen Tilting Display
Copy Speed	55/65/75/85 PPM (A4)
First Copy Out	5.2/5.2/4.5/4.1 Seconds
Warm-Up Time	Approx. 24/24/20/20 Seconds
Copy Resolution	2400dpi (Equivalence) x 600dpi (with Smoothing)
Stack Feed Bypass	100 x 148mm to 330 x 483mm, 313.4 x 1200 mm, Banner, Envelope
Multiple Copying	Up to 9,999 Copies
Paper Capacity	Standard 3,520 Sheets/Max. 6,020 Sheets (Tandem Drawer)
Original Feed	Standard 300-Sheet DSDF
Scan Speed & Weights	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour), Simplex: 35-209gsm, Duplex: 35-209gsm
Max. Original Size	A3
Paper Feed Sizes	Drawers: 540 Sheets- A5R to 305 x 457 mm Integral Tandem LCF 1,160 x 2 A4-Only Stack Feed Bypass: 100 x 148mm to 330 x 483mm, 313.4 x 1200mm Banner Opt. 2,500-Sheet Ext. LCF A4-Only - 60-256gsm Tandem LCF 1,160 Sheets x 2- 60-256gsm Plus 540 Sheets x 2- 60-256gsm Stack Feed Bypass: 120 Sheets- 60-300gsm Opt. 2,500-Sheet Ext. LCF LT-Only - 16 lb Bond-140 lb Index Standard Automatic Duplex Unit (60-256gsm)
Paper Weights	25% to 400% Approx. 195kg
Duplex	955 (W) x 698 (D) x 1,227 (H) mm
Reproduction Ratio	106,600 @ 5%
Weight	230-240 Volts, 50/60 Hz, 16 Amps
Approx. Dimensions	Maximum 2.4kW (23 0-240V)
Toner Yield	Intel Atom™ 1.33 GHz (Dual-Core)
Power Source	4GB
Power Consumption	320GB Toshiba Secure HDD
CPU	
Memory	
Hard Disk Drive	

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	55/65/75/85 PPM (A4)
Print Resolution	600 x 600 dpi, 2,400 (Equivalence) x 600 dpi (With Smoothing), 1,200 x 1,200 dpi (2-bit) or 3,600 (Equivalence) x 1,200 dpi, PS Only
Operating Systems	Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7, 8.1, 10, Windows Server® 2012/R2, Windows Server 2016®, Macintosh® (macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, macOS 10.12, 10.13), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh® Environments
Printing Protocols	SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP
Print Drivers	Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server 2016®, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, macOS 10.12, 10.13 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed)
Interface	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Wireless Device	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Device Management	TopAccess, EFMS 6.3 (e-BRIDGE Fleet Management Software)
Account Control	
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen

Security Features

Timeout and Audible Beep Message Alerts
User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication
*Conformance with HCD-PPv1.0 in High Security Mode.
ENERGY STAR® (V2.0), EPEAT Gold
WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint®, Mopria®

Environmental Stds. Certification

Scan Specifications

Scan Speed	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour)
Scan Modes	Standard: Full Colour, Auto Colour, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
Image Compression	Colour/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Additional Paper Options		Embedded OCR Enabler	
Large Capacity Feeder	MP-2502-B	Single License	GS-1080
		Five Licenses	GS-1085
Finishing Options		Multi-Station Print Enabler	
50-Sheet Staple Finisher	MJ-1111-B	Single License	GS-1090
Saddle-Stitch Finisher	MJ-1112-B	Five Licenses	GS-1095
Hole Punch Unit for Finisher	MJ-6106-E	Data Overwrite Enabler	GP-1070
Side Exit Tray	KA-6551-ET	4GB Memory Option	GC-1410
Finisher Guide Rail	KN-1103		
Connectivity/Security Options		Miscellaneous Options	
FAX Unit/2nd Line for FAX Unit	GD-1370	Accessible Arm	KK-2560
Accessory Tray	GR-1330	Harness Kit for Coin Controller	GQ-1280
Panel 10-Key Option	GR-1340	Manual Pocket	KK-5008
Card Reader Holder	GR-1320		
Meta Scan Enabler	GS-1010		
IPsec Enabler	GP-1080		
Unicode Font Enabler	GS-1007		



For more information, please call or visit us at

TOSHIBA

Toshiba Tec Malaysia Sdn. Bhd.

Registration No.: 198101000677 (66785-D)

4, Jalan Saudagar U1/16, Seksyen U1, Hicom Glenmarie Industrial Park,
40150, Shah Alam, Selangor Darul Ehsan, Malaysia.
(P.O. Box 7722, Pejabat Pos Besar,
40724 Shah Alam, Selangor Darul Ehsan, Malaysia.)

Tel : +603-5568 7788 Service : +603-5568 7699 Fax : +603-5568 7700
Website : www.toshibatec.com.my

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned.

Copyright ©2018 TOSHIBA TEC.

R180511V1300-TTEC