TOSHIBA

e-STUDIO331AC
e-STUDIO401AC

Efficient And Versatile Multifunction Printer For Modern Business Needs



- High-performance Colour MFP
- Speeds up to 40 pages per minute
- Ideal for small workgroups
- Copy, Print, Scan, Fax Functions
- Built-in security features
- Ready for Cloud-based workflows

TOGETHER INFORMATION™

Compact, Intelligent, and Effortlessly Practical

Empowering every workplace with cutting-edge technology that combines powerful performance, intuitive operation, and reliable peace of mind.

Recognising that no two businesses are alike, Toshiba delivers the latest customisable solutions designed to fit your unique requirements. Our innovations simplify complex workflows and streamline information management—boosting efficiency and security to help you achieve more.

The newest Toshiba series embodies our "Together Information" philosophy—a pledge to work hand-in-hand with clients to deliver personalised, cost-effective solutions for printing, document handling, and content management, all while supporting your sustainability goals.

- Fast 33/40 ppm colour multifunction printer.
- Compact all-in-one with copy /print / scan & optional fax capabilities.
- Large 10.1" colour touch screen panel.
- Smart mobile & cloud connectivity that provides easy access to your documents.
- Wide and flexible variety of choices on paper drawers that will suit your demanding needs.
- Small & compact in size that is suitable for department use or counter service use.
- Toshiba's secure hardisk helps safeguard your data integrity.

Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- Customise and automate workflow specifically around your business processes.
- Boost productivity by reducing manual and paper intensive processes in the office.
- Personalise the user interface by department or individually to deliver the utmost efficiency.
- Cost savings and greater efficiency through improved workflow and productivity.





Simple, Smart and Stylish.

A customisable 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.

Space-Saving Design, Full-Scale Performance

Despite its compact size, the e-STUDIO401AC series delivers powerful, cutting-edge technology and smart innovations that empower workgroups to stay connected, streamline workflows, and operate with greater efficiency.

High Speeds of up to 40 PPM of full colour printing.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

Dual-Scan Document Feeder holds an amazing 100 originals and boasts an impressive 116 images per minute (IPM) by scanning both sides of the page in a single pass.

e-Suite allows you to track and control copy, fax and scan jobs, and perform secure print release at Toshiba MFP.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs - now with support of up to 50 e-BRIDGE devices.

Scan and Fax Preview allows you to receive your scanned documents digitally and also view received faxes prior to sending or printing.

Compact Size Fits In Small Spaces

Perfect fit in organisations looking for device fleet optimisation.

With functionality of an A3 device, e-Studio331AC/401AC can easily integrate into smaller offices and departments that require lighter output, achieving cost and operation efficiencies.



e-STUDIO331AC e-STUDIO401AC

Main Specifications

Copy System	Indirect electrostatic photographic method
Display	10.1" LCD touch-screen resistive type
Copy Speed	33 / 40 cpm (A4) 27 / 33 cpm (B4)
First Copy Out	e-S331AC: 5.7 seconds (mono) / 7.2 seconds (colour) (300 dpi scan) e-S401AC: 5.1 seconds (mono) / 6.3 seconds (colour) (300 dpi scan)
Warm-Up Time	After Powering On: Approx. 20 seconds From Sleep Mode: 18 seconds (e-S331AC) / 18 seconds (e-S401AC) From Low-power Mode: 18 seconds (e-S331AC) / 18 seconds (e-S401AC)
Stack Feed Bypass	A4 / 52 - 256 gsm / Banner (215.9 x 1320.8 mm) / 90 - 163 gsm
Multiple Copying	Up to 999 copies
Paper Capacity	Standard Drawer x 1: 550 sheets x 1 Standard Stack Feed Bypass: 100 sheets Optional Paper Feed Unit (PFU): 550 sheets Optional LCF (Pedestal Type): 2,000 sheets
Original Feed	100 - Sheet DSDF
Feeding Speed	58 (A4)
Max. Original Size	A4 / Legal
Paper Feed Sizes	Drawer 1: 550 Sheets A4 to A5 Stack Feed Bypass: 100 Sheets – A4 - 98 mm x 148 mm, Legal, Banner
Paper Weights	Standard: 550 Sheets – 60 - 256 gsm Stack Feed Bypass: 100 Sheets – 52 - 256 gsm
Duplex	A4 - A5 / 60 - 256 gsm
Reproduction Ratio	25% to 400%
Weight	Approx. 53 kg
Approx. Dimensions	520 mm (W) x 540 mm (D) x 634 mm (H)
Power Source	220 - 240 Volts, 50 / 60 Hz, 8 Amps
Power Consumption	Max. 2.0kW (220 - 240V) Super sleep: 0.7W
Memory	4 GB (Main memory + Page memory)
Hard Disk Drive	256 GB Self-Encrypting Drive SSD

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	33 / 33 / 40 / 40 cpm (A4 size) (Mono / Colour)
Print Resolution	600 dpi x 600 dpi, 3bit (All PDL) 1,200 dpi x 1,200 dpi, 1bit (PS Driver)
Operating Systems	Windows®10, 11 (64bit), Windows Server® 2016, Windows Server® 2019 Windows Server® 2022, Macintosh® (MacOS X 10.12, 10.13, 10.14, 10.15, 11, 12, 13, 14, 15), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP EtherTalk
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional IEEE802.11b/g/n, Optional Bluetooth
Mobile Service	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Device Management	TopAccess, e-Suite
Account Control	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Security Features	User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication
Certification	WHQL (Windows® 10,11,2016,2019,2022), SAP, AirPrint® and Mopria®, Citrix®

Scan Specifications

Scan Speed	Monochrome: 58/116 Page Per Min Colour: 40/80 Page Per Min
Scan Modes	Standard: Full Colour, Auto Colour, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi / Single Page, PDF-Multi / Single Page, Searchable PDF, XPS-Multi / Single Page, DOCX, XLSX, PPTX Colour / Grayscale: JPEG, TIFF-Multi / Single Page, PDF-Multi / Single Page, Slim PDF, Searchable PDF, XPS-Multi / Single Page, DOCX, XLSX, PPTX
Image Compression	Colour / Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	Super G3, G3
Data Compression	JBIG, MMR, MR, MH
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	33.6kbps --2.4Kbps (automatic fall-back)
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations / Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

Accessories (Options)

Paper Handling Options	
Paper Feed Unit (550 sheets)	MY-1050
Large Capacity Feeder (2,000 sheets)	KD-1071
Spacer	GR-1380
Caster	GR-1390
Offline Stapler	MJ-1047
Staple Cartridge for offline stapler	Stapler-3700
Desk	MH-330AC
System Options / Accessories	
FAX Unit	GD-1370EU
Wireless LAN / Bluetooth Module	GN-4030
Harness kit for coin controller	GQ-1280-N
Card Reader Holder	GR-1400
Panel Ten Key Option	GR-1340
Security SSD option (512 GB)	GE-1370
License Enabler Options	
Meta scan enabler	GS-1010Node
IPSec enabler	GP-1080Node
Unicode Font enabler	GS-1007Node
Multi Station Print (license)	GP-1090Node
IP Fax License	GS-1100Node
e-BRIDGE Plus for Zone OCR V3.0 (Node)	GB-2330Node
e-BRIDGE Plus for OneDrive for Business V3.0 (Node)	GB-2300Node
e-BRIDGE Plus for SharePoint Online V3.0 (Node)	GB-2310Node
e-BRIDGE Plus for Exchange Online V3.0 (Node)	GB-2320Node
e-BRIDGE Plus for Gmail (Node)	GB-2380Node
e-BRIDGE Plus for G Suite Google Drive (Node)	GB-2390Node
e-BRIDGE Plus for DocuWare	GB-2430Node

citrix Ready

Works with Apple AirPrint

mopria

For more information please contact us:

Toshiba Tec Malaysia Sdn. Bhd.

Registration No.: 198101000677 (66785-D)

No. 5, Jalan Jurubina U1/18, Seksyen U1,
Hicom Glenmarie Industrial Park,
40150 Shah Alam, Selangor Darul Ehsan, Malaysia.

Tel : +603-5568 7788 Service : +603-5568 7699
Fax : +603-5568 7700 Website : www.toshibatec.com.my

Distributed by

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation.

Copyright ©2026 TOSHIBA TEC MALAYSIA

Toshiba Tec Group Philosophy

Creating with You